Table 5-1. Required Sample Containers, Preservatives, and Holding Times.¹

| Analysis Type | Matrix | Container Size | Holding Time ¹ | Preservation |
|-------------------------------|---------------|-------------------------|---|----------------------------------|
| | | 4 oz glass with Teflon | 14 days extraction/analysis | |
| NWTPH-GRO | Soil/Sediment | coated/Septum lid | | Ice (4°C) |
| | | | 14 days extraction/40 days analysis | Ice (4°C) |
| NWTPH-DRO | Soil/Sediment | 4 oz glass | 1 year until analysis | Frozen (-18°C) |
| | | | 14 days extraction/40 days analysis | Ice (4°C) |
| SVOCs | Soil/Sediment | 8 oz glass | 1 year until analysis | Frozen (-18°C) |
| | | | 14 days extraction/40 days analysis | Ice (4°C) |
| Pesticides/PCBs | Soil/Sediment | 8 oz glass | 1 year until analysis | Frozen (-18°C) |
| | | | 14 days extraction/40 days analysis | Ice (4°C) |
| Dioxins/Furans | Soil/Sediment | 8 oz glass | 1 year until analysis | Frozen (-18°C) |
| | | | 6 months/28 days* | Ice (4°C) |
| Metals | Soil/Sediment | 4 oz glass | 2 years until analysis (except mercury) | Frozen (-18°C) |
| | | | 14 days | Ice (4°C) |
| TOC | Soil/Sediment | 4 oz glass | 6 months | Frozen (-18°C) |
| | | 4 oz glass | | |
| Total Sulfides/Ammonia | Soil/Sediment | (zero headspace) | 7 days | Ice (4°C) |
| Grain size | Soil/Sediment | 16 oz glass | 6 months | Ice (4°C) |
| Atterburg Limits | Soil/Sediment | Inc. | NA | Ice (4°C) |
| Specific Gravity | Soil/Sediment | Inc. | NA | Ice (4°C) |
| Moisture Content/Bulk Density | Soil/Sediment | Inc. | NA | Ice (4°C) |
| | | Two 40-mL glass with | | 1+1 HCl to a pH <2 |
| NWTPH-GRO | Water | Teflon lined Septum lid | 14 days extraction/analysis | Ice (4°C) |
| | | | | 1+1 HCl to a pH <2 |
| NWTPH-DRO | Water | One 1-liter amber glass | 14 days extraction/analysis | Ice (4°C) |
| SVOCs | Water | Two 1-liter amber glass | 7 days extraction/40 days analysis | Ice (4°C) |
| Pesticides/PCBs | Water | Two 1-liter amber glass | 7 days extraction/40 days analysis | Ice (4°C) |
| Dioxins/Furans | Water | Two 1-liter amber glass | 7 days extraction/40 days analysis | Ice (4°C) |
| Metals | Water | One 1-liter HDPE | 6 months/28 days* | Ice (4°C), HNO ₃ pH<2 |

Table 5-1. Required Sample Containers, Preservatives, and Holding Times. (continued)

| Analysis Type | Matrix | Container Size | Holding Time ¹ | Preservation |
|---------------|----------|---------------------------|---------------------------|--|
| | | | | |
| TOC | Water | One 500-mL HDPE | 28 days | Ice (4°C), H ₂ SO ₄ pH<2 |
| TSS | Water | One 1-liter HDPE | | Ice (4°C) |
| Hardness | Water | One 1-liter HDPE | | Ice (4°C) |
| | | | | Ice (4°C) |
| | | | | No Headspace or Purged |
| Bioassays | Sediment | Three 1-liter amber glass | 8 weeks | with Nitrogen Gas |

¹ Storage temperatures and maximum holding times for physical/chemical analyses and sediment toxicity tests (PSEP 1997a,b, Ecology 2003)

Note: All holding times are from the date of sampling. Samples should be analyzed as soon as possible after collection. The times listed are the maximum times that samples may be held before analysis without being qualified.

^{*} Holding time for mercury is 28 days. Holding time for the other metals is 6 months.

Table 5-2. Primary Waste Streams and Disposal Methods.

| Waste Stream | Estimated Quantity | Storage/Disposal Method |
|---|--------------------|---|
| Excess/Rejected Soil/Sediment Samples | < 1000 lbs | Returned to test pit location/bank of creek |
| Excess Surface Water/Groundwater Samples | <20 gallons | Returned to creek or poured on ground near location |
| Purged Groundwater before Sampling | <200 gallons | Poured on ground near location |
| Decontamination Wastewaters (except solvents) | <100 gallons | Poured onto ground near processing area |
| Personal Protective Equipment (PPE)/ Miscellaneous Debris | <25 cubic ft | Containerize/offsite disposal by Integral |
| Decontamination Solvents (methanol and hexane) | <10 gallons | Containerize and allow to evaporate/ offsite disposal by Integral if required |

6 REFERENCES

ASTM. 1997. Guideline E 1706-95b. Standard test methods for measuring the toxicity of sediment-associated contaminants with freshwater invertebrates. Vol. 11.05. American Society for Testing and Materials, Washington, DC.

Bellingham, City of. 2004. Work plan for the Brownfields assessment, Little Squalicum Park, Bellingham, Washington. Prepared for: U.S. Environmental Protection Agency, Region 10, Seattle, Washington. Prepared by: The City of Bellingham, Departments of Parks & Recreation, Planning, and Community Development, Bellingham, WA.

Bellingham, City of. 2005. Remedial grant application for matching funding to conduct an RI/FS of Little Squalicum Park, Bellingham, Washington. Prepared for the Washington State Department of Ecology, Toxics Cleanup Program, Olympia, Washington. Prepared by The City of Bellingham, Departments of Parks & Recreation, Planning, and Community Development, Bellingham, WA.

DEA. 1993. Final off-site wetland mitigation plan at Little Squalicum Creek for the Port of Bellingham International Airport runway extension, Bellingham, WA. David Evans and Associates, Inc., Bellingham, WA.

Ecology. 1994. Natural background soil metals concentrations in Washington State. Toxics Cleanup Program, Department of Ecology, Washington State Department of Ecology. Publication No. 94-115. Olympia, WA.

Ecology. 1995. Sediment management standards. Chapter 173-204 WAC. Washington State Department of Ecology. Olympia, WA.

Ecology. 1997. Water quality standards for surface waters. WAC 173-201A. Washington State Department of Ecology. Olympia, WA.

Ecology. 2001a. Cleanup levels and risk calculations under the Model Toxics Control Act cleanup regulation CLARC version 3.1. Washington State Department of Ecology. Publication No. 94-145. Olympia, WA.

Ecology. 2001b. Model Toxics Control Act (MTCA) cleanup regulation chapter 173-340 WAC. Washington State Department of Ecology. Publication No. 94-06. Olympia, WA.

Ecology. 2003. Sediment sampling and analysis plan appendix. Guidance on the development of sediment sampling and analysis plans meeting the requirements of the sediment management standards (Chapter 173-204 WAC). Prepared by Washington State Department of Ecology, Olympia, Washington. April 2003.

Ecology. 2004. Little Squalicum Creek screening level assessment. Washington State Department of Ecology. Publication No. 04-03-014. Olympia, WA.

E&E. 1987. Site inspection report for OESER Company, Bellingham, Washington. Contract No. GB-01-7347. TDD No. F10-8704-17. Prepared for U.S. Environmental

Protection Agency, Field Investigation Team (FIT). Ecology and Environment, Seattle, WA.

E&E. 1996. Expanded site inspection report - OESER Company facility. Contract No. 68-W9-0020. Work Assignment No. 20-43-OJZ4. Prepared for the U.S. Environmental Protection Agency, Region 10, Alternative Remedial Contracts Strategy (ARCS). Ecology and Environment, Seattle, WA.

E&E. 1998a. OESER Company PCP-enclosure draft site removal assessment report, Seattle, Washington. Ecology and Environment, Inc., Seattle, WA

E&E. 1998b. OESER Company site final removal assessment report, Seattle, Washington. Ecology and Environment, Inc., Seattle, WA.

E&E. 2002a. The OESER Company Superfund site remedial investigation report Bellingham, Washington. Ecology and Environment, Inc., Seattle, WA.

E&E. 2002b. The OESER Company Superfund site feasibility study report, Bellingham, WA. Ecology and Environment, Inc., Seattle, WA TDD: 01-03-0016.

Parametrix. 1991. Facility hazard assessment summary report for Little Squalicum Creek, Bellingham, Washington, prepared for Washington State Department of Ecology, Contract No. C0089006, Work Assignment No. 49. Parametrix, Bellevue, WA.

PSEP. 1986. Puget Sound Estuary Program: Recommended protocols for measuring conventional sediment variables in Puget Sound. Final report. Prepared for U.S. Environmental Protection Agency, Region 10, Office of Puget Sound, Seattle, WA and the U.S. Army Corps of Engineers, Seattle District, Seattle, WA. Tetra Tech, Inc., Bellevue, WA.

PSEP. 1997a. Puget Sound Estuary program: recommended guidelines for measuring metals in Puget Sound sediment and tissue samples. Final report. Prepared for U.S. Environmental Protection Agency, Region 10, Seattle WA and Puget Sound Water Quality Action Team, Olympia, WA. King County Water Pollution Control Division Environmental Laboratory, Seattle, WA.

PSEP. 1997b. Puget Sound Estuary program: recommended guidelines for measuring organic compounds in Puget Sound sediment and tissue samples. Final report. Prepared for U.S. Environmental Protection Agency, Region 10, Seattle WA and Puget Sound Water Quality Action Team, Olympia, WA. King County Water Pollution Control Division Environmental Laboratory, Seattle, WA.

PSEP. 1997c. Puget Sound Estuary program: recommended guidelines for sampling marine sediment, water column, and tissue in Puget Sound. Final report. Prepared for U.S. Environmental Protection Agency, Region 10, Seattle WA and Puget Sound Water Quality Action Team, Olympia, WA. King County Water Pollution Control Division Environmental Laboratory, Seattle, WA.

Suter, G.W., and C.L. Tsao. 1996. Toxicological benchmarks for screening potential contaminants of concern for effects on aquatic biota: 1996 Revision. ES/ER/TM-96/R2. Oak Ridge National Laboratory, Oak Ridge, TN.

TNRCC. 2001. Guidance for conducting ecological risk assessments at remediation sites in Texas. RG-263 (revised). Texas Natural Resource Conservation Commission, Toxicology and Risk Assessment Section, Texas Natural Resource Conservation Commission, Austin, TX.

URS. 1994. Facility inspection prioritization report for OESER cedar. Contract No. 68-W9-0054, Work assignment no. 54-18-OJZZ. Prepared for the U.S. Environmental Protection Agency, Region 10, Alternative Remedial Contracts Strategy (ARCS). URS Consulting, Inc., Seattle, WA.

USEPA. 1992. Guidance for data usability in risk assessment (part a), final. 9285.7-09A. U.S. Environmental Protection Agency, Office of Emergency and Remedial Response, Washington, DC.

USEPA. 1994. Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates. EPA 600/R-94/024. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2000a. Exposure and human health reassessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and related compounds, part I: estimating exposure to dioxin-like compounds, volume 3: properties, environmental levels and background exposures, draft final report. EPA/600/P-00/001Bc. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

USEPA. 2000b. Methods for measuring the toxicity and bioaccumulation of sediment associated contaminants with freshwater invertebrates, second edition. EPA-600-R-99-064. U.S. Environmental Protection Agency. Available online at: http://www.epa.gov/waterscience/cs/freshfact.html

USEPA. 2002. National recommended water quality criteria: 2002. EPA-822-R-02-047. U.S. Environmental Protection Agency, Office of Water and Office of Science and Technology, Washington, DC.

USEPA. 2003. Region 5 RCRA corrective action ecological screening levels. U.S. Environmental Protection Agency, Region 5, Chicago, IL.

USEPA. 2005. Current national recommended water quality criteria. Available at: http://www.epa.gov/waterscience/criteria/wqcriteria.html. Accessed June 2005.